


Reduced Tee Branch - Solder



SIZES

Eco-Duo Reduced Tee Branch for 22x15x22mm *	W8355 CS	0.36kg
Eco-Duo Reduced Tee Branch for 28x15x28mm *	W8356 CS	0.41kg
Eco-Duo Reduced Tee Branch for 28x22x28mm *	W8357 CS	0.42kg
Eco-Duo Reduced Tee Branch for 35x15x35mm *	W8358 CS	0.67kg
Eco-Duo Reduced Tee Branch for 35x22x35mm *	W8359 CS	0.67kg
Eco-Duo Reduced Tee Branch for 35x28x35mm *	W8360 CS	0.70kg
Eco-Duo Reduced Tee Branch for 42x15x42mm *	W8361 CS	0.73kg
Eco-Duo Reduced Tee Branch for 42x22x42mm *	W8362 CS	0.65kg
Eco-Duo Reduced Tee Branch for 42x28x42mm *	W8363 CS	0.84kg
Eco-Duo Reduced Tee Branch for 54x22x54mm	W1645 CS	1.10kg
Eco-Duo Reduced Tee Branch for 54x28x54mm	W1646 CS	1.08kg
Eco-Duo Reduced Tee Branch for 54x35x54mm	W1647 CS	1.11kg
Eco-Duo Reduced Tee Branch for 54x42x54mm	W1648 CS	1.22kg
Eco-Duo Reduced Tee Branch for 76.1x35x76.1mm	W1664 CS	2.0kg
Eco-Duo Reduced Tee Branch for 76.1x42x76.1mm	W1663 CS	2.1kg
Eco-Duo Reduced Tee Branch for 76.1x54x76.1mm	W1662 CS	2.2kg
Eco-Duo Reduced Tee Branch for 108x54x108mm	W1594 CS	3.05kg
Eco-Duo Reduced Tee Branch for 108x76.1x108mm	W1596 CS	3.23kg

MATERIALS

Body: Copper
Separators: 316 Stainless Steel

MAX PRESSURE

16 Bar

NOTES

Only for use with potable water
Only for use with pumped recirculated water

FINISHING OPTIONS

Copper CS

* Only available in packs of 10

FEATURES AND BENEFITS

- Patented Pipe-in-a-pipe technology
- Saves 50% energy costs (tested by BRE)
- Maintains temperatures across the whole building.
- Halves installation time and costs
- 50% reduction in pipe fixings and insulation
- No special installation required
- Pipework can be cut as normal
- Helps to reduce the risk of Legionella and other water borne pathogens
- Can be used on hot and cold potable water systems

Reduced Tee Branch

ECODU®

SKU	DESC	I1	I2	I3	d1	d2	z1	z2	c1	C1	c2	C2
W8355 CS	22x15x22mm	29	24	68	22	15	9	12	8	5	6	5
W8356 CS	28x15x28mm	35	27	80	28	15	10	15	10	5	6	5
W8357 CS	28x22x28mm	33	32	76	28	22	13	15	10	5	8	5
W8358 CS	35x15x35mm	34	31	78	35	15	10	19	15	5	6	5
W8359 CS	35x22x35mm	38	35	86	35	22	14	19	15	5	8	5
W8360 CS	35x28x35mm	40	39	90	35	28	16	20	15	5	10	5
W8361 CS	42x15x42mm	39	34	88	42	15	11	23	15	5	6	5
W8362 CS	42x22x42mm	42	39	94	42	22	14	23	15	5	8	5
W8363 CS	42x28x42mm	43	43	96	42	28	17	24	15	5	10	5
W1645 CS	54x22x54mm	47	45	104	54	22	14	30	22	5	8	5
W1646 CS	54x28x54mm	50	49	110	54	28	17	30	22	5	10	5
W1647 CS	54x35x54mm	53	54	116	54	35	20	30	22	5	15	5
W1648 CS	54x42x54mm	57	58	124	54	42	24	30	22	5	15	5
W1664 CS	76.1x35x76.1mm	62	72	134	76.1	35	27	47	28	5	15	5
W1663 CS	76.1x42x76.1mm	65	76	140	76.1	42	30	47	28	5	15	5
W1662 CS	76.1x54x76.1mm	71	81	152	76.1	54	36	47	28	5	22	5
W1594 CS	108x54x108mm	87	99	184	108	54	38	65	22	5	22	5
W1596 CS	108x76.1x108mm	98	100	206	108	76.1	49	65	35	5	28	5

Water Kinetics Eco-Duo Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Water Kinetics, registered at 7 Fairfield Place, East Kilbride, Glasgow, United Kingdom, G74 5LP, Company No: SC632550, VAT: GB 350 116 837, and the final purchaser of the product.

When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

25 Years

The Eco-Duo Copper and Stainless ranges are guaranteed for a period of 25 years commencing on the date of purchase when installed in conjunction with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the purchaser may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications and does not cover instances of normal wear and tear).

This product range has been designed for the use of domestic and commercial applications and therefore the guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions contained within the fitting instructions.

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour, and accidental damage to the product are not covered by this guarantee.

The extent of any liability from this guarantee is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

Eco-Duo is a trademark of Water Kinetics Ltd

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.