



# Coupling Street Reducer - Solder

**ECODU**©



## SIZES

Eco-Duo Coupling Street Reducer for 28mm x 22mm *	W8344 CS	0.05kg
Eco-Duo Coupling Street Reducer for 35mm x 22mm *	W8345 CS	0.07kg
Eco-Duo Coupling Street Reducer for 35mm x 28mm *	W8346 CS	0.09kg
Eco-Duo Coupling Street Reducer for 42mm x 22mm *	W8347 CS	0.11kg
Eco-Duo Coupling Street Reducer for 42mm x 28mm *	W8348 CS	0.12kg
Eco-Duo Coupling Street Reducer for 42mm x 35mm *	W8349 CS	0.12kg
Eco-Duo Coupling Street Reducer for 54mm x 35mm	W1557 CS	0.16kg
Eco-Duo Coupling Street Reducer for 54mm x 42mm	W1558 CS	0.19kg
Eco-Duo Coupling Street Reducer for 66.7mm x 28mm	W1559 CS	0.97kg
Eco-Duo Coupling Street Reducer for 66.7mm x 35mm	W1560 CS	0.97kg
Eco-Duo Coupling Street Reducer for 66.7mm x 42mm	W1561 CS	0.97kg
Eco-Duo Coupling Street Reducer for 66.7mm x 54mm	W1562 CS	1.99kg
Eco-Duo Coupling Street Reducer for 76.1mm x 35mm	W1563 CS	1.07kg
Eco-Duo Coupling Street Reducer for 76.1mm x 42mm	W1564 CS	1.07kg
Eco-Duo Coupling Street Reducer for 76.1mm x 54mm	W1565 CS	1.08kg
Eco-Duo Coupling Street Reducer for 76.1mm x 66.7mm	W1566 CS	1.16kg
Eco-Duo Coupling Street Reducer for 108mm x 42mm	W8386 CS	0.93kg
Eco-Duo Coupling Street Reducer for 108mm x 54mm	W8387 CS	0.94kg
Eco-Duo Coupling Street Reducer for 108mm x 66.7mm	W8389 CS	1.05kg
Eco-Duo Coupling Street Reducer for 108mm x 76.1mm	W8390 CS	1.10kg

\* Only available in packs of 10

## MATERIALS

Body: Copper  
Separators: 316 Stainless Steel

## MAX PRESSURE

16 Bar

## NOTES

Only for use with potable water  
Only for use with pumped recirculated water

## FINISHING OPTIONS

Copper CS

## FEATURES AND BENEFITS

Patented Pipe-in-a-pipe technology  
Saves 50% energy costs (tested by BRE)  
Maintains temperatures across the whole building.  
Halves installation time and costs  
50% reduction in pipe fixings and insulation  
No special installation required  
Pipework can be cut as normal  
Helps to reduce the risk of Legionella and other water borne pathogens  
Can be used on hot and cold potable water systems

SKU	DESC	l1	d1	d2	z1
W8344 CS	28-15mm	41	28	15	29
W8345 CS	35-22mm	52	35	22	36
W8346CS	35-28mm	53	35	28	34
W8347CS	42-22mm	61	42	22	44
W8348CS	42-28mm	60	42	28	41
W8349CS	42-35mm	62	42	35	38
W1557 CS	54-35mm	72	54	35	48
W1558 CS	54-42mm	75	54	42	47
W1563 CS	76.1-35mm	86	76.1	35	61
W1564 CS	76.1-42mm	86	76.1	42	58
W1565 CS	76.1-54mm	85	76.1	54	52
W8387 CS	108-54mm	116	108	54	83
W8390 CS	108-76.1mm	108	108	76.1	72

## Water Kinetics Eco-Duo Guarantee - Terms and Conditions

Products are subject to a guarantee that is between Water Kinetics, registered at 7 Fairfield Place, East Kilbride, Glasgow, United Kingdom, G74 5LP, Company No: SC632550, VAT: GB 350 116 837, and the final purchaser of the product.

When correctly assembled with the stated tubes and pipe the length of guarantee is as follows:

### **25 Years**

The Eco-Duo Copper and Stainless ranges are guaranteed for a period of 25 years commencing on the date of purchase when installed in conjunction with Eco-Duo fittings and components.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the purchaser may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications and does not cover instances of normal wear and tear).

This product range has been designed for the use of domestic and commercial applications and therefore the guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions contained within the fitting instructions

Provided Eco-Duo is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour, and accidental damage to the product are not covered by this guarantee.

The extent of any liability from this guarantee is limited to the cost of the replacement of the defective item and not to installation or consequential damages.

## **Eco-Duo is a trademark of Water Kinetics Ltd**

Water Kinetics Ltd makes every effort to ensure that the information provided on its website is accurate.

However, we cannot guarantee this, and accept no liability for any information or advice given via its website.